
150w 180w 260w 300w Mix Cutting Laser Cutting Machine For Both Metal and Non-Metal Materials

(Model: PEDK-130250M)







- 1 The super high photo-electric conversion efficiency can be up to about 70%. So the machine runs with the lowest power consumption compared to other laser cutting machines under output power. The cutting lost is the lowest.
- With laser beam of good quality from high power laser tube, the focus spot is super fine, and the cutting seam is very smooth. Then the efficiency can be higher, and the quality is better.
- 3 The efficiency is very stable and reliable, and you have no need to adjust the light path. So it is easy to operate and maintain the machine.
- 4 The machine costs little water and energy. So the running cost is lower.





Metal Cutting



Stainless Steel



Carbon Steel



Mild Steel

Non-Metal Cutting



Acrylic



Wood



MDF







Items Materials		Cut	Engrave
Metal Materials	Stainless SteelMild steelCarbon Steel	√ √ √	
Non-Metal Materials	AcrylicMDFWood		×



150w / 180w Co2 laser Cutting Thickness

SS304	CS45#	Acrylic	Wood	MDF
0-1.5mm	0-2.5mm	0-28mm	0-23mm	0-25mm

260w / 300w Co2 laser Cutting Thickness

SS304	CS45#	Acrylic	Wood	MDF
0-2mm	0-2mm	0-30mm	0-25mm	0-28mm

260w / 300w Cutting Parameters

Material	Thickness	Speed	Auxiliary air	
	0.5mm	40-50mm/s		
Carbon steel	1.0mm	30mm/s	Owigon	
Carbon Steel	1.5mm	16-20mm/s	Oxygen	
	2mm 10mm/s			
Stainless steel	0.5mm	40-50mm/s		
	1.0mm	30mm/s	Oxygen	
	1.5mm	16-20mm/s		
Acrylic	20mm	2-3mm/s	AIR	
MDF or Plywood	10-15mm	10-15mm/s	AIR	



260w / 300w Cutting Parameters

Material	Thickness	Speed	Auxiliary air	
	0.5mm	55 mm/s		
Carbon steel	1.0mm 45mm/s		Ovygen	
Carbon Steel	1.5mm	30mm/s	Oxygen	
	2.0mm 25mm/s			
	3.0mm	10mm/s		
Stainless steel	0.5mm	0.5mm 60-70mm/s		
	1.0mm	50mm/s	Oxygen	
	1.5mm	25-30mm/s		
	2.0mm	15 mm/s		
Acrylic	20mm	3-5 mm/s	AIR	
MDF or Plywood 10-15mm		15-20mm/s	AIR	



Adopt Advanced Germany Technology

It supports both Metal and Non-Metal Cutting, can cut stainless steel, carbon steel, mild steel, also can cut acrylic, wood, MDF engraving and cutting.





2 Advanced Laser Optical System

Ensure Excellent Laser Beam Quality Can strongly improve the laser power and laser beam quality.





Laser Path Pre-View & Pre-Position Function Laser beam is in-visible by adopting "Red Light Pointer" Realize the laser path pre-view and

Unique Mirrors and Lens Cooling Technology

All mirrors and lens is cooled by water Takes the mirror heat during working Prolong its' lifetime Save future operation cost

Pre-position function.



Thicken Machine Bed

Adopt Thicken machine bed, heavy loading, Not easy to get distort





2 Left Side View



Right Side View



Dynamic Auto-focus Metal Sheet Laser Cutting Head

When the metal sheet is not plain, the dynamic focus laser cutting head can adjust the focusing distance automatically. Realize the accuracy of cutting effect.





5

Advanced Colorful LCD Screen+ USB Port+ Offline Control

Support Both Metal and Non-Metal Cutting Parameters. Support U disk, USB communication.



Thicken Strip Working Table Specially Used for Cutting

Meets the need of diversified laser procession Heavy Loading Suitable for cutting heavy and hard products







Standard Configuration

7.1 Adopt Belt Transmission Method
(Standard Configuration)

Use Chinese Famous Shanghai "Fulong" Brand Transmission Belt, Contains Metal Maerial Inside, Never Loosen, Anti-fire, Long Life Time.



High Speed Stepper Subdivision Driver Control System (Standard Configuration)

Adopt Chinese Top Brand "Leadshine" Step Motor and Driving System Numeral timing Simulation quantum control laser power Little error, repetition high precision





Optional Item

8.1

Taiwan Imported Ball Screw Transmission Rod
(Optional Item)

Adopt 50mm diameter ball screw rod Reliably And Free Of Maintenance. Improve the precision and accuracy of machine. Speed is faster, Precision is higher.





8.2

Japan Imported Yawasaka Servo Motor
(Optional Item)

Extreme Precise Positioning Make Moving Positioning Mechanism Operate Smoothly







USB Port

150w, 180w, 260w, 300w High Power Co2 Laser Tube


High Power Laser Tube 10000 hours long life span.





150w, 180w, 260w, 300w High Power Co2 Laser Tube High Power Laser Tube 10000 hours long life span.

> Equipped with luxury consumables Imported reflect mirror and focus lens, Makes high efficiency and steady.





1	PEDK-13090M	PEDK-130250M	Option	
Model				
Working Area	1300*900mm	1300*2500mm	According to Demands	
Laser Power	150w	180w / 260w / 300w		
Transmission Method & Driving System	Standard Machine use Belt Transmission + Chinese Top Brand "Leadshine" Step Motor and Driving System Optional Machine use Ball Screw Transmission + Japan IMported Yaskawa Servo Motor and Driving System			
Laser Type	CO	2 Sealed Laser Tube, 1	10.6um	
Cooling Type	Water Cooling, 150w-180w Machine use CW-5200, 260w-300w Machine use CW-6000			
Working Table	Stainless steel and knife table			
Laser Output Control	(0-100% Set by Software)			
Highest Scanning Precision	4000DPI			
Positioning Accuracy	www.perfect-laser.com ±0.02mm/m			
Positioning Speed	20m/min			
Max. Cutting Thickness	40mm			
Max. Cutting Speed		20m/min		
Controlling Software		DSP Control System	n	
Graphic Format Supported		BMP, PLT, DST, DXF, and	Al, etc	
Compatible Software	CORELDRAW, PHO	TOSHOP, AUTOCAD, All ty	pe of AUTOCAD software	
Drive System	Hig	h-precision 3-phase Step	oper Motor	
Auxiliary Equipment	Exhaust Fan and Air Exhaust Pipe			
Controlling software	Off-computer controlling system			
Working voltage	1	AC110-220V ±10%/10A,5	50-60HZ	
Power		<2000W		
Packing		Standard Plywood		
Warranty	12 month f	or whole machine, 10 mc	onth for laser tubes	
Training		VCD Training	16	
Weight		1000 kgs		



Item	Specification	One Year Using Quantity	lmage
Laser Tube	10000 hours lifetime Warranty Period: 10 months, Power: 150w, 180w, 260w, 300w	1-2 pcs	the flect laser company
USA imported (II- VI) Brand Reflect Mirror	High transparent rate, Efficiency and long lifespan	2-6 pcs	CERCET LA SER PUNI PERFECT-LASET COM
USA imported (II- VI) Brand Focus Lens	* imported material * Protect the laser beam	2-4 pcs	www.perfect.



PEDK-130250M	LENGTH (m)	WIDTH (m)	HEIGHT (m)	MEASUREMENT (m3)	Weight (kgs)
150w, 180w	3.46	2.0	1.16	8.1	1000 kgs
260w, 300w	4.13	2.03	1.12	9.4	1500 kgs





Warranty & After-sales services

- 1). Guarantee for the whole machine: 12 month
- 2). Providing professional service to customers, any call for technical help will be solved in 24 hours
- 3). Free training, free maintenance and free technical support within warranty period
- 4). We supply life-long free service in technical upgrading.





Q: What's the package?

A: We have 3 layers package. For the outside, we adopt wood craft case. In the middle, the machine is covered by foam, to protect the machine from shaking. For the inside layer, the machine is covered by thickening plastic bag for waterproof.

Q: Will the package damaged during transportation?

A: Our package is considerate all the damage factors and make it to be safe, and our shipping agent have full experienced in safe transportation. We have exported to 180 countries worldwide. So please don't worry, you will receive the parcel in good condition.

Q: How to install and run the machine?

A: Our technician have installed the machine before shipping. For some small parts installation, we will send detail training video, user's manual along with the machine. 95% customers can learn by themselves.